



PRIVATE CLIENT ROCK SCALING, USA

Steinschlagschutz

Private Client Rock Scaling

Steinschlagschutz

Projekt	Private Client Rock Scaling
Ort	-
Land	USA
Installationsjahr	2014
Kunde	A client who prefers to remain undisclosed
Planer	Haley & Aldrich
Ausführende Firma	Ameritech Slope Constructors

Ausgangslage

A client who prefers not to be named operates a 2-story manufacturing facility in the floor of a former rock quarry. In close proximity to the facility is a rock slope topped with trees and boulders. In between the facility and rock slope sits a 3,700 liter liquid nitrogen storage tank. The client required slope remediation in the form of rock-scaling, a manual process of using hand tools to dislodge loose rocks to allow them to safely fall to the base of a slope in a controlled manner.

Massnahme

Geobrugg installed a SPIDER® S4/230 temporary rockfall drape to protect the site from falling boulders. The ~9,000 ft² drape was anchored using wire rope anchors. A *throat* was designed at the top to prevent debris from rolling over the top of the netting. Bottom anchorage elements were designed to be removed to facilitate access of labor, equipment, and materials around the base of the slope. Unexpectedly, an approximately 20 ton boulder that was intended to be anchored broke off the slope. Geobrugg's SPIDER® S4/230 controlled the fall of the roughly 10x8x5 ft³ block so that it came to rest at the toe of the slope without damaging the workers, the mesh, the storage tank, or the facility.

Geschützte Objekte

Gebäude, Steinbruch / Bergbau

Energieaufnahmevermögen

N/A

Systemhöhe

N/A

Systemlänge

143 m

Für Fragen steht Ihnen unser Geobrug Specialist gerne zur Seite

Roger Moor

Country Manager Ost- und Zentralschweiz, Liechtenstein

Tel. +41 71 466 81 52

Mobil +41 78 783 46 81

Roger.Moor@geobrug.com



Geobrug

info@geobrug.com | www.geobrug.com
