

DECLARATION OF PERFORMANCE FOR THE PRODUCT ROCCO-2000 1301 - CPR - 1518

Unique identification code of the product type:

Rockfall Protection Barrier ROCCO-2000, System Drawing GS-1222 / GS-1223

Intended use:

Falling Rock Protection Kit for use in civil engineering works to stop moving rock blocks with maximum energy of 2000 kJ

Manufacturer:

Geobrugg AG

Aachstrasse 11

8590 Romanshorn

SWITZERLAND

System of assessment and verification of consistency of performance (AVCP):

System 1

European Assessment:

European Organisation for Technical Approvals: ETAG 027 (EAD 340059-00-0106)

European Technical Assessment: ETA 19/0568

Certificate of constancy of performance: 1301 - CPR - 1518

Notified body: TSÚS, Building Testing and Research Institute, Bratislava, Slovak Republic (No 1301)

Declared performance:

Energy level classification: 5

Maximum Energy Level (MEL): 2000 kJ

Service Energy Level (SEL): 660 kJ

Classification for residual height for MEL: Cat. A (> 50%)

Certification Test Layout : vertical drop

Swiss Guideline / Federal Office of the Environment:

Test Certificate No. 81FE-010121-L-04-BB-01 from 02.09.2021

Specific Technical Documentation:

Manual incl. System drawing, maintenance manual, anchor forces

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by Armin Roduner, Technical Department 16.12.2022 Signature:

a. Rol



