



BIKERNIEKU TRASE - FLEXIBLE CAMERA OPENING, LETTONIE

Circuits de course / Pistes d'essai

Bikernieku Trase - flexible camera opening

Circuits de course / Pistes d'essai

Projet	Bikernieku Trase - flexible camera opening
Ville	Riga
Pays	Lettonie
Année d'installation	2016
Client	Bikernieku Trase
Ingénierie	Geobruugg AG
Entrepreneur	Binders

Situation de départ

Race circuit operators face the challenge that before or during the construction of a circuit camera positions, photographer openings and marshal posts cannot be defined. Once a circuit is completed a previously assumed position might change.

The final positioning of track marshals, cameras and photographer positions is done once a circuit is completed and operational.

Description

As photograper openings cannot be defined during the design process Geobruugg developed a solution which can be easily implemented in a completed debris fence installation.

As the Geobruugg flexible opening can be used for the Debris Fence or mobile Debris Fence the opening bars are fixed to either cable or steel rod. The remaining mesh between the bars is removed and the open mesh ends inserted in the opening bar. Top and bottom mesh is fixed to the cable.

Hauteur du système

2.5 m, 3.5 m

Pour toute question, contactez votre spécialiste Geobruugg le plus proche

Jochen Braunwarth

Director Motorsport Solutions

Téléphone+41 71 466 84 24

Mobile +41 78 737 95 64

motorsport@geobruugg.com



Geobruugg

info@geobruugg.com | www.geobruugg.com
