

CIRCUIT OF THE AMERICAS, ETATS-UNIS

Circuits de course / Pistes d'essai

Circuit of The Americas

Circuits de course / Pistes d'essai

Projet	Circuit of The Americas
Ville	Austin, Texas
Pays	Etats-Unis
Année d'installation	2012
Client	Global Fence and Gate, Circuit of the Americas
Ingénierie	Geobru gg
Situation de départ	In 2012 the new Grand Prix race track Circuit of The Americas in Austin, Texas, had to be equipped with a debris fence. A very tight schedule for design, production, and installation required the closest cooperation between all parties involved in the planning, approval, and installation. Within only six months, Geobru gg completed the design and delivery of materials required for the installation on site.
Description	The F.I.A. approved debris fence introduced a cable spacing of 50 cm in a Grade 1 installation for the first time. Due to our high tensile wire mesh, larger cable spacing became possible. These cables achieved a faster installation speed. Geobru gg completed the construction layout design, manufactured and supplied all materials on-site, and trained the local contractor to install the debris fence.
Autres applications installées	Circuits de course / Pistes d'essai
Hauteur du système	2.5 m, 3.5 m
Longueur du système	9300 m

Pour toute question, contactez votre spécialiste Geobrugg le plus proche


Marty Hunt

Project Manager Motorsport

Téléphone+1 505 461-1054

Mobile +1 512 636 4412:

Marty.Hunt@geobrugg.com



Geobrugg

info@geobrugg.com | www.geobrugg.com
