



BIKERNIEKU TRASE - FLEXIBLE CAMERA OPENING, LETTONIA

Circuiti automobilistici / aree di collaudo

Bikernieku Trase - flexible camera opening

Circuiti automobilistici / aree di collaudo

Progetto	Bikernieku Trase - flexible camera opening
Luogo	Riga
Paese	Lettonia
Anno di installazione	2016
Cliente	Bikernieku Trase
Progettazione	Geobruigg AG
Contraente	Binders

Situazione iniziale

Race circuit operators face the challenge that before or during the construction of a circuit camera positions, photographer openings and marshal posts cannot be defined. Once a circuit is completed a previously assumed position might change.

The final positioning of track marshals, cameras and photographer positions is done once a circuit is completed and operational.

Descrizione

As photograper openings cannot be defined during the design process Geobruigg developed a solution which can be easily implemented in a completed debris fence installation.

As the Geobruigg flexible opening can be used for the Debris Fence or mobile Debris Fence the opening bars are fixed to either cable or steel rod. The remaining mesh between the bars is removed and the open mesh ends inserted in the opening bar. Top and bottom mesh is fixed to the cable.

Altezza del sistema

2.5 m, 3.5 m

Per qualsiasi domanda potete contattare il nostro specialista Geobruigg

Jochen Braunwarth

Director Motorsport Solutions

Telefono +41 71 466 84 24

Mobile +41 78 737 95 64

motorsport@geobruigg.com



Geobruigg

info@geobruigg.com | www.geobruigg.com
