



MILIBACH TORRENT, HASLIBERG, CANTON OF BERN, ELVEȚIA

Protecția împotriva torenților și a alunecărilor superficiale

Milibach Torrent, Hasliberg, Canton of Bern

Protecția împotriva torenților și a alunecărilor superficiale

Proiect	Milibach Torrent, Hasliberg, Canton of Bern
Loc	Hasliberg Reuti
Țară	Elveția
Anul instalării	2011
Client	.
Situația inițială	<p>In August 2005, a storm in the Weiler Reuti and in Meiringen had caused serious debris coverage and severe damage. To protect the two settlements, a cascade comprised of 13 flexible debris flow barriers was installed to retain a cumulative volume of up to 10,000 m³ was installed.</p> <p>On October 10, 2011, heavy rainfall triggered a shallow landslide containing a total of 2,000 m³ of schist in the drainage area of the Milibach river. Approximately 80 mm of rain had fallen onto a 70 cm layer of existing snow in 12 hours. The Swiss Federal Office for Environment (FOEN) categorized these heavy rainfalls as the 100-year event.</p>
Descriere	<p>This multilevel debris flow barrier system successfully retained an estimate 2,000 m³ of debris from the October 2011 100-year event before the slide had any opportunity to gain momentum and cause significant damage, as had happened in 2005. The event filled barrier no. 2 completely and barrier no. 5 partially. Barrier 1, which was situated above where the shallow landslide was triggered, remained unaffected, while barriers 3 and 4 were not filled as they have a higher basal opening.</p> <p>Stopping the 2,000 m³ of debris helped prevent further erosion along the unstable banks of the Milibach River and dissipated an event that could have caused damage to the settlements further downstream. After an in-depth investigation during an on-site inspection, the customer decided to leave barrier no. 2 filled to protect the riverbanks. The debris held by barrier no. 5 is also being left and should be carried away over time as the water drains naturally.</p>
Alte aplicații instalate	Protecția împotriva torenților și a alunecărilor superficiale
Protecție împotriva coroziunii	GEOBRUGG SUPERCOATING
Înălțime sistem	7.0 m
Lungime sistem	500 m - 7 m
Număr de bariere	13
Capacitate de retenție	10000 m ³

Pentru întrebări, vă rugăm să contactați specialistul Geobrugg din zona dvs.

Roger Moor

Country Manager Ost- und Zentralschweiz, Liechtenstein

Telefon +41 71 466 81 52

Mobil +41 78 783 46 81

Roger.Moor@geobrugg.com



Geobrugg

info@geobrugg.com | www.geobrugg.com
