



PRIVATE CLIENT ROCK SCALING, STATELE UNITE

Protecția împotriva căderilor de pietre

Private Client Rock Scaling

Protecția împotriva căderilor de pietre

Proiect	Private Client Rock Scaling
Loc	-
Țară	Statele Unite
Anul instalării	2014
Client	A client who prefers to remain undisclosed
Tehnologie	Haley & Aldrich
Antreprenor	Ameritech Slope Constructors
Situația inițială	<p>A client who prefers not to be named operates a 2-story manufacturing facility in the floor of a former rock quarry. In close proximity to the facility is a rock slope topped with trees and boulders. In between the facility and rock slope sits a 3,700 liter liquid nitrogen storage tank. The client required slope remediation in the form of rock-scaling, a manual process of using hand tools to dislodge loose rocks to allow them to safely fall to the base of a slope in a controlled manner.</p>
Descriere	<p>Geobrugg installed a SPIDER® S4/230 temporary rockfall drape to protect the site from falling boulders. The ~9,000 ft2 drape was anchored using wire rope anchors. A <i>throat</i> was designed at the top to prevent debris from rolling over the top of the netting. Bottom anchorage elements were designed to be removed to facilitate access of labor, equipment, and materials around the base of the slope. Unexpectedly, an approximately 20 ton boulder that was intended to be anchored broke off the slope. Geobrugg's SPIDER® S4/230 controlled the fall of the roughly 10x8x5 ft3 block so that it came to rest at the toe of the slope without damaging the workers, the mesh, the storage tank, or the facility.</p>
Obiect protejat	Clădire, Carieră / Mina
Clasă de energie (kJ)	N/A
Înălțime sistem	N/A
Lungime sistem	143 m

Pentru întrebări, vă rugăm să contactați specialistul Geobrugg din zona dvs.

Roger Moor

Country Manager Ost- und Zentralschweiz, Liechtenstein

Telefon +41 71 466 81 52

Mobil +41 78 783 46 81

Roger.Moor@geobrugg.com



Geobrugg

info@geobrugg.com | www.geobrugg.com
