



RAHOVEI 20, CLUJ-NAPOCA, ROMANYA

Şev ve Yamaç koruma

Rahovei 20, Cluj-Napoca

Şev ve Yamaç koruma

Proje	Rahovei 20, Cluj-Napoca
Yer	Cluj-Napoca
Ülke	Romanya
Kurulum Yılı	2013
Müşteri	Private customer
Mühendislik	Zenith Proiect and Consulting
Yüklenici	S.C. MAVO Transilvania S.R.L.
Durum	This 7 to 8 meters high slope was cut in order to build a private house. Due to the geotechnical data, the slope should have been stable at 40 degrees and up to 4.9 m. When the owner installed the pipes for a geothermal pump on top of the slope, the slope began to fail.
Açıklama	Geobrugg designed and delivered a complete protection system. The solution was a standard soil nailing together with GREENAX® mesh. A total of 229 m² were stabilized using 40 soil nails R32. They were installed in the pattern of 2.50 x 2.20 m.
Gösterilen obje	Building
Korozyon koruma	GEOBRUGG SUPERCOATING
Jeoloji	Silt and clay.
Dengelenen alan	229 m²
Maksimum eğim yüksekliği	8 m
Eğim meyili	30 ° - 46 °
Erozyon kontrol matı	Evet
Konumlandırma	

Sorularınız için yerel Geobruigg uzmanınızla iletişime geçiniz

Kevin H. Coyle

Regional Manager Northeast

Telefon +1 860 377 3230

kevin.coyle@geobruigg.com



Geobruigg

info@geobruigg.com | www.geobruigg.com
